



جامعة محمد الصديق بن يحيى - جيجل -



المحور الأول لمقياس الاعلام الالي HardWare



Computer sciences (CS)

is the study of computers and computing, including their theoretical and algorithmic foundations, hardware and software, and their uses for processing information.

INFORMATIQUE


INFORMA


INFORMATION

TIQUE

AUTOMATIQUE

الاعلام الآلي (L'informatique / Computer sciences): هو علم يسمح بمعالجة المعلومات بطريقة آلية باستعمال الكمبيوتر.





Information


The representation of data in a meaningful way is called Information.

Data : text ,symbols , numbers, pictures, audio and video



Communication

communication referred as imparting or exchanging of information by speaking , writing or using some other medium.




Technology

It refers to methods, systems and devices, which are a result of scientific knowledge, being used for practical purposes.



تكنولوجيا المعلومات

هي جملة الأدوات والوسائل المناسبة لإنتاج وتخزين ومعالجة و تنظيم إدارة وعرض المعلومات سواء كانت نصا او صورة او صوتا



الحاسوب (الكمبيوتر) :Ordinateur/Computer

1- A computer is defined as an electronic device designed for storing and processing data, typically in binary form

A computer can be described as an electronic device that can receive data, process the data, and produce the result as the outcome




Figure: Computer Device Data Flow Process


Full form of COMPUTER

C = Common
O = Operating
M = Machine
P = Purposely
U = Used for
T = Technological
E = Educational
R = Research



The computer is a device capable of processing information according to the following steps:

- Data entry using input units.
- Storing data on storage units
- Data processing by the processor
- Output of data (i.e., results) using output units



Some definitions:

Information: is the result of analyzing and interpreting pieces of data. All information is manipulated in binary form (a sequence of 0 and 1, the language of the machine) by the computer.

Data: is defined as a collection of individual facts or statistics. Data can come in the form of text, observations, figures, images, numbers, graphs, or symbols.

-2- is a raw form of knowledge and, on its own, doesn't carry any significance or purpose.

Data processing: transformation of input data to outputs by a program


APPLICATION OF INFORMATION TECHNOLOGY



Applications of Information Technology

- Healthcare
- Finance
- Manufacturing
- Education
- Retail
- Transportation Industry
- Entertainment Industry


Characteristics of a Computer



History and Evolution of Computer Systems

The History of computer systems is about the developments from early simple devices to aid calculation to modern day computers. The following are some of the calculating devices that precede modern day computers


Abacus - Pascal's calculator - The Difference Engine - Mark I
ENIAC(Electronic Numerical Integrator And Computer)




History and Evolution of Computer Systems

Electronic Era:

- ❑ **ENIAC** (Electronic Numerical Integrator And Calculator) by John W. Mauchly and J.P. Eckert: **1947**
- ❑ **EDSAC** (Electronic Delay Storage Automatic Calculator) by M. Wilkes: **1949**
- ❑ **EDVAC** (Electronic Discrete Variable Automatic Calculator) by Von Neuman
- ❑ **UNIVAC I** (Universal Automatic Computer) by Mauchly and J.P. Eckert :**1951**




ENIAC



EDSAC



UNIVAC I




EDV

الحاسوب (الكمبيوتر) Ordinateur/Computer:

Générations of Computers

1st Generation Computer:



Period	1940-1956
Circuitry	Vacuum tube
Memory Capacity	20 KB
Processing Speed	300 IPS inst. per sec.
Programming Language	Assembly Language
Example of computers	UNIVAC, EDVAC

2nd Generation Computer:



Period	1956-1963
Circuitry	Transistor
Memory Capacity	128KB
Processing Speed	300 IPS
Programming Language	High-level language
Example of computers	IBM 1401, CDC 3600, D UNIVAC 1108

3rd Generation Computer:



Period	1964-1971
Circuitry	Integrated chips (IC)
Memory Capacity	1MB
Processing Speed	1MIPS (1 million inst. per sec.)
Programming Language	C, C++
Example of computers	IBM 360 series, 1900 series

4th Generation Computer:



Period	1971-present
Circuitry	Microprocessor (VLSI)
Memory Capacity	Semiconductor type and very high
Processing Speed	Faster than 3rd generation
Programming Language	C, C++, Java
Example of computers	Pentium series Multimedia, Stimulation

Générations of Computers

5th Generation Computer:




Period	Present & beyond
Circuitry	ULSI (Ultra Large Scale Integration technology)
Memory Capacity	VLSI and ULSI
Processing Speed	Very fast
Programming Language	All the Higher level languages
Example of computers	Artificial Intelligence, Robotics

عرف هذا الجيل بعصر الاتصالات واستخدام الشبكة العنكبوتية www واستخدام الشبكات بكل أنواعها وظهور الذكاء الاصطناعي ومحاكاة لغات الطبيعة

Classifications and Types of computers

According to the computer **Working Principle:**

1. **Analog Computer:** measuring continuous type of input data. like; current, voltage etc.
2. **Digital Computer:** counting discrete type of input data (digits). Like; number, letter etc.
3. **Hybrid Computer:** combines the features of Analog and Digital computers. Used in Hospital, scientific research etc.



Analog Computer



Digital Computer



- حاسبات قياسية
- حاسبات رقمية
- حاسبات مهجنة

Classifications and Types of computers

According to the **purpose of use**:

1. **Special Purpose Computer**: doing particular task or application. (Hybrid computer).
2. **General Purpose Computer**: doing different tasks or different applications. (Digital computer).


تصنيف يقوم على مجال الاستخدام:

- حاسبات عامة الاستخدام: وهي الأنظمة الشائعة وما نجده في المدارس والمنازل والجهات الرسمية التي تتعامل مع البيانات والمعلومات العامة وما يستحدث من أجهزة صغيرة أو دقيقة.
- حاسبات صممت لأغراض خاصة: وهي محدودة الوظائف حيث أنها تنفذ أعمال معينة وهي الحاسبات التي توجد بجهات الأرصاد والأغراض الحربية والطبية أو أداء عمليات جزئية محددة ضمن أنظمة لأغراض محددة كالتي تلحق بمعامل وغرف المستشفيات وبالسيارات والطائرات وما شابه ذلك من مجالات.

Classifications and Types of computers

According to the Computer Size:

1. **Micro Computer:** desktop, laptop, notebook (education, graphical design, etc.).
2. **Mini Computer** (data processing programming, business, etc.).
3. **Mainframe Computer** (telecom companies, large-scale data processing, etc.).
4. **Super Computer** (weather forecasting, space research).



Classifications and Types of computers

Microcomputers: Desktop and Portable

- Desktop (PC)
- Laptop (Notebook)
- Netbook
- Tablet
- PDA (Personal Digital Assistant)
or Handheld

- Smart Phone



Smart Phone



Tablet

PDA

Netbook

Computer system consist of two Component


يعتمد الحاسوب على جزئيين أساسيين ومتكاملين هما:



Hardware

Types of peripheral devices fall into three general categories, they are:

- Input devices: such as a mouse and a keyboard
- Output devices: such as a monitor and a printer
- Central unit




Central unit

وحدة النظام Central unit

The case of the central unit contains several internal components (the motherboard and its components, the disk drive) and external components (CDs/DVDs, flash disks)

هو عبارة عن صندوق معدني يحتوي بداخله على جميع مكونات الحاسب الصلبة الهامة والأساسية لتشغيل الحاسوب




Central unit

The motherboard and its components

لوحة النظام (اللوحة الأم، البطاقة الأم)

A circuit board that allows the CPU to interact with other parts of the computer




Main board on which we find all the necessary components for the operation of a computer, in particular the processor, the central memory, and the expansion slots intended to receive cards extension

أهميتها في :

- تبادل البيانات والمعلومات بين اجزاء الحاسب
- ربط أجهزة الإخراج والإدخال الأساسية


The motherboard and its components

Motherboard ports



The motherboard and its components

Motherboard ports



PS2 port : mouse / keyboard



منافذ ال PS2

Parallel port used to connect multiple peripherals such as a parallel port printer.

المنفذ المتوازي : Parallel Port (الطابعة-الشاشة)

Serial port used to connect multiple peripherals such as a serial port printer

المنفذ المتسلسل: Serial Port

VGA port used to connect the central unit to the screen

USB Ports

الناقل المتسلسل الشامل (USB) Universal Serial Bus

Network port (LAN)


منفذ الشبكة Ethernet Port

Jack speakers' line-in and line-out

Microphone input jack



The motherboard and its components



Processor

The processor (or CPU, for Central Processing Unit) is the brain of the computer. It is an integrated circuit that allows data processing. It is characterized by its speed, which is measured in Ghz (Giga hertz) which corresponds to the number of operations per second. One Ghz represents one billion operations per second



Central Processing Unit (CPU): It is the main unit inside the computer that **executes instructions** to do arithmetic and logical operations to **process** the input data and **control** all events inside the computer.



Processor

The processor consists of two units: the ALU (Arithmetic and Logic Unit) and the UC (Unit Control).

وحدة التحكم: the UC

The control unit is responsible for managing the process of moving data and program into and out of memory. It is also responsible for carrying out (executing) program instructions - one at a time. This includes the idea of a 'register' to hold intermediate computational values.

هي الوحدة التي تقوم بمراقبة وتنفيذ جميع التعليمات الموجودة في الحاسوب




وحدة الحساب والمنطق: The UAL


The Arithmetic/ Logic Unit (ALU) performs mathematical operations ((+, -, x, /, ...) and logic operations (=, <, >, and, or, not, ...). The ALU is a sub-component of the CPU (Central Processing Unit)

تتم فيها جميع العمليات الحسابية و المنطقية وتقوم بالعمليات الحسابية الأساسية الأربعة

. يتم قياس سرعة وحدة المعالجة المركزية بالميجاهرتز (MHz)

Processor





- **CPU:** measured in Megahertz (MHz) and Gigahertz (GHz).
- Most popular CPU are: **Intel** and **AMD**.

Memory

The size of a memory is measured in Octet / Byte (abbreviated as Ø). It represents a memory space allowing the storage of a single character (number, letter or any other symbol).

$$1 \text{ Ø} = 1 \text{ byte} = 8 \text{ Bit}$$

1 Bit = Binary Digit

8 Bits = 1 Byte

1024 Bytes = 1 KB (Kilo Byte)

1024 KB = 1 MB (Mega Byte)

1024 MB = 1 GB (Giga Byte)

1024 GB = 1 TB (Tera Byte)

1024 TB = 1 PB (Peta Byte)

1024 PB = 1 EB (Exa Byte)

1024 EB = 1 ZB (Zetta Byte)

1024 ZB = 1 YB (Yotta Byte)

1024 YB = 1 (Bronto Byte)

1024 Brontobyte = 1 (Geop Byte)

يعتبر البت Bit أصغر وحدة تخزين في الحاسوب وهي عبارة عن خلية ثنائية تستوعب فقط الرقمين (0،1) فقط وهناك عدة مضاعفات لهذه الوحدة منها الاوكتي ويرمز له بالرمز Ø (octet) البايت بالكتابة byte

Computer Data Storage and Memory Devices

The term memory usually refers to a form of semiconductor storage and sometimes other forms of fast but temporary storage. Similarly, today the term storage more commonly refers to mass storage such as optical discs, forms of magnetic storage like hard disks and other types.

Generally , the computer memory is divided into two category :
primary memory and **secondary memory**



- تتضمن الحواسيب نوعين من وحدات التخزين هما:
- الذاكرة الرئيسية المصنوعة من مواد نصف ناقلة، وهي محدودة السعة.
- الذاكرة الثانوية ذات السعات التخزينية الكبيرة

Primary memory

is directly accessible to the CPU

هي عبارة عن الذاكرة المتصلة مباشرة بالمعالج عن طريق مساري المعلومات

This type of memory is divided into the following two types :



ذاكرة الوصول العشوائي

ذاكرة القراءة فقط



• ذاكرة الوصول العشوائي RAM.

وهي التي تستخدم **للاحتفاظ المؤقت** بالبيانات أثناء تشغيل الجهاز والعمل عليه **و تفقد محتوياتها** بمجرد إيقاف التشغيل أو انقطاع التيار الكهربائي



• ذاكرة القراءة فقط ROM

تحتفظ بالبيانات الأساسية التي يحتاجها الجهاز لبدء التشغيل ومعلومات عن الشركة المصنعة **ولا تفقد محتوياتها** عند إيقاف التشغيل أو إنقطاع الكهرباء



RAM / ROM

RAM VS ROM

- RAM is Random Access Memory.
- Used for temporary storage.
- Data will get lost if computer is turned off
- It is called Volatile Memory.

- ROM is Read Only Memory.
- Storage of data is Permanent.
- Data is not changable by user.
- Data will not lost if computer is turned off.
- It is Non-Volatile memory.

Secondary memories

Secondary memory or storage provides the facility of storing information and programs permanently. It differs from primary memory in that it is not directly accessible by the CPU.

Secondary Memory

○ Magnetic Disks:

- Hard disks (500 GB, 1TB)
- Floppy disks (MB1.44 MB and 2.88)

○ Magnetic Tape (185 GB)

○ Optical Storage:

- CD-ROM, CD-R, CD-RW (700 MB)
- DVD-ROM, DVD-R, DVD-RW, and DVD-RAM (4.7 GB)

CD: Compact Disk

DVD: Digital Versatile Disk

○ Pen Drive

○ Memory Cards

○ External Hard Disk



Floppy Disks

Hard and Solid Drives



Pen Drive

COM

DVD



Magnetic Tape



External Hard Disk



Memory Cards

La mémoire secondaire الذاكرة الثانوية

هي التي تسمح للمستخدم بأن يخزن فيها البيانات سواء كانت قبل معالجتها او بعدها لاسترجاعها في وقت لاحق تمتاز بسعة كبيرة ويمكن حفظ البيانات فيها لمدة زمنية طويلة توجد عدة أنواع منها:

- الأقراص المرنة Floppy Disks
- الأشرطة الممغنطة Magnetic Tape
- الأقراص الضوئية والمدمجة Optical Disks
- القرص فلاش Disque flash
- بطاقة الذاكرة Memory Card-MC



Memory Stick Duo



Secure Digital



XD Picture Card



Memory Stick



Compact Flash




Smart Media




الأقراص الصلبة Hard Disks

هو الجزء المسؤول عن تخزين البيانات والمعلومات في الحاسوب ذو سعة كبيرة ثابتة موضوع داخل الوحدة المركزية تخزن فيه المعطيات من بينها (ملفات التشغيل، ملفات نظام التشغيل، ملفات البرامج التطبيقية، ملفات العمل) يوجد نوعان من هذه الأقراص HDD وSSD.



(Hard disk Driver)



SSD		vs	HDD	
faster	✓	✗	slower	
more expensive	✗	✓	cheaper	
non-mechanical (flash)	✓	✗	mechanical (moving parts)	
shock-resistant	✓	✗	fragile	
best for storing operating systems, gaming apps, and frequently used files		i	best for storing extra data, such as movies, photos, and documents	

وحدة التغذية الكهربائية (مزود الطاقة الكهربائية) Power supply unit

The computer power supply module which is located in the system unit case enables the conversion from 100-240V alternating current to low-voltage direct current voltage to power the internal components according to the requirement specifications. Some systems like laptops have the in-built batteries for power backup when utility power supply fails.

Video card

Sound card


Modem

Floppy Disk driver

Lazer Disk driver



Connectors included on this power supply...





ATX 2.03 X 1

P4 ATX 12V X 1

IDE 4 PIN X 4

Floppy 4 PIN X 2





المعالج
Processor

الذاكرة العشوائية
RAM

بطارية حفظ التاريخ والوقت
Battery

منافذ تثبيت بطاقات / وحدات
إضافية مثل بطاقة صوت أو شبكة
Port/Slots

Input Devices وحدات الإدخال

Input Unit: It is the unit that entered the data in to a computer from the **Input Devices:**

1. Keyboard
2. Mouse
3. Light Pen
4. Trackball
5. Joystick
6. Tag Reader



Mouse



Keyboard



Trackball



Light Pen



Digital Cameras



Joystick



Tag Reader

Input Devices وحدات الإدخال

8. Point Of Sale Terminal (POS Terminal)

9. Magnetic Ink Character Recognition (MICR)

10. Voice Recognition Systems

11. Graphic Tablet

12. Vision Systems

13. Scanners

- Barcode Reader

- Optical Mark Reader (OMR)

- Optical Characters Reader (OCR)



MICR



POS Terminal



VRS



Barcode Reader



OCR



OMR



Graphic Tablet

